

Fittings and plastic tubing, standard O.D.

Our line of accessories provides great convenience in pneumatic assemblies.

We have an SRP line of fast torque and precision connections, which allows for easy fitting together with the guarantee of a long useful life and completely sealed. The connection threads are BSP, and have an o'ring that guarantees even more convenience during assembly. The elbow connections are adjustable so that the connection can be turned to any side when the connection thread is tightened.

The SRF flow regulating valves are also adjustable, and have an adjustment that can be made using a screwdriver so that the flow is regulated. It can be mounted directly on a pneumatic actuator. And they also have an o'ring for more comfortable mounting.

In this catalog you can also select a wide range of accessories such as plugs, gloves, and elbows. We have standardized hoses for use in both our SRP connections and quick-connect connections (Push in Fittings). And special hoses for high temperatures.

SRP – Quick nut barbed fittings
→ Page: 5.2-1



Plastic tubing PU/ PA
→ Page: 5.2-4



Accessories
→ Page: 5.2-3



Quick Nut Fittings SRP

Quick Mini Straight Connector SRP-RC



| Part no. | Type | Thread | For tubing O.D. (mm) |
|-------------|------------------------|--------|----------------------|
| SRP-RC-4-M5 | MINI STRAIGHT 4MM X M5 | M5 | 4 |
| SRP-RC-6-M5 | MINI STRAIGHT 6MM X M5 | M5 | 6 |

Quick Mini L-Shape Connector SRP-CC



| Part no. | Type | Thread | For tubing O.D. (mm) |
|-------------|-----------------------|--------|----------------------|
| SRP-CC-4-M5 | MINI L-SHAPE 4MM X M5 | M5 | 4 |
| SRP-CC-6-M5 | MINI L-SHAPE 6MM X M5 | M5 | 6 |

Quick Straight Connector SRP-RN



| Part no. | Type | Thread | For tubing O.D. (mm) |
|---------------|----------------------|--------|----------------------|
| SRP-RN-4-G18 | STRAIGHT 4MM X G1/8 | G1/8 | 4 |
| SRP-RN-4-G14 | STRAIGHT 4MM X G1/4 | G1/4 | 4 |
| SRP-RN-6-G18 | STRAIGHT 6MM X G1/8 | G1/8 | 6 |
| SRP-RN-6-G14 | STRAIGHT 6MM X G1/4 | G1/4 | 6 |
| SRP-RN-6-G38 | STRAIGHT 6MM X G3/8 | G3/8 | 6 |
| SRP-RN-6-G12 | STRAIGHT 6MM X G1/2 | G1/2 | 6 |
| SRP-RN-8-G18 | STRAIGHT 8MM X G1/8 | G1/8 | 8 |
| SRP-RN-8-G14 | STRAIGHT 8MM X G1/4 | G1/4 | 8 |
| SRP-RN-8-G38 | STRAIGHT 8MM X G3/8 | G3/8 | 8 |
| SRP-RN-8-G12 | STRAIGHT 8MM X G1/2 | G1/2 | 8 |
| SRP-RN-10-G18 | STRAIGHT 10MM X G1/8 | G1/8 | 10 |
| SRP-RN-10-G14 | STRAIGHT 10MM X G1/4 | G1/4 | 10 |
| SRP-RN-10-G38 | STRAIGHT 10MM X G3/8 | G3/8 | 10 |
| SRP-RN-10-G12 | STRAIGHT 10MM X G1/2 | G1/2 | 10 |
| SRP-RN-12-G18 | STRAIGHT 12MM X G1/8 | G1/8 | 12 |
| SRP-RN-12-G14 | STRAIGHT 12MM X G1/4 | G1/4 | 12 |
| SRP-RN-12-G38 | STRAIGHT 12MM X G3/8 | G3/8 | 12 |
| SRP-RN-12-G12 | STRAIGHT 12MM X G1/2 | G1/2 | 12 |

Quick L-Shape Swivel Connector SRP-CN



| Part no. | Type | Thread | For tubing O.D. (mm) |
|---------------|---------------------|--------|----------------------|
| SRP-CN-4-G18 | L-SHAPE 4MM X G1/8 | G1/8 | 4 |
| SRP-CN-4-G14 | L-SHAPE 4MM X G1/4 | G1/4 | 4 |
| SRP-CN-6-G18 | L-SHAPE 6MM X G1/8 | G1/8 | 6 |
| SRP-CN-6-G14 | L-SHAPE 6MM X G1/4 | G1/4 | 6 |
| SRP-CN-6-G38 | L-SHAPE 6MM X G3/8 | G3/8 | 6 |
| SRP-CN-6-G12 | L-SHAPE 6MM X G1/2 | G1/2 | 6 |
| SRP-CN-8-G18 | L-SHAPE 8MM X G1/8 | G1/8 | 8 |
| SRP-CN-8-G14 | L-SHAPE 8MM X G1/4 | G1/4 | 8 |
| SRP-CN-8-G38 | L-SHAPE 8MM X G3/8 | G3/8 | 8 |
| SRP-CN-8-G12 | L-SHAPE 8MM X G1/2 | G1/2 | 8 |
| SRP-CN-10-G18 | L-SHAPE 10MM X G1/8 | G1/8 | 10 |
| SRP-CN-10-G14 | L-SHAPE 10MM X G1/4 | G1/4 | 10 |
| SRP-CN-10-G38 | L-SHAPE 10MM X G3/8 | G3/8 | 10 |
| SRP-CN-10-G12 | L-SHAPE 10MM X G1/2 | G1/2 | 10 |
| SRP-CN-12-G18 | L-SHAPE 12MM X G1/8 | G1/8 | 12 |
| SRP-CN-12-G14 | L-SHAPE 12MM X G1/4 | G1/4 | 12 |
| SRP-CN-12-G38 | L-SHAPE 12MM X G3/8 | G3/8 | 12 |
| SRP-CN-12-G12 | L-SHAPE 12MM X G1/2 | G1/2 | 12 |

QUICK CONNECTORS AND TUBING O.D.

Fittings type SRP, tubes and accessories



Quick Union Straight Connector SRP-ER



| Part no. | Type | For tubing O.D. (mm) |
|-----------|---------------------|----------------------|
| SRP-ER-4 | UNION STRAIGHT 4MM | 4 |
| SRP-ER-6 | UNION STRAIGHT 6MM | 6 |
| SRP-ER-8 | UNION STRAIGHT 8MM | 8 |
| SRP-ER-10 | UNION STRAIGHT 10MM | 10 |
| SRP-ER-12 | UNION STRAIGHT 12MM | 12 |

Quick Bulkhead Connector SRP-PM




| Part no. | Type | For tubing O.D. (mm) |
|-----------|---------------|----------------------|
| SRP-PM-4 | BULKHEAD 4MM | 4 |
| SRP-PM-6 | BULKHEAD 6MM | 6 |
| SRP-PM-8 | BULKHEAD 8MM | 8 |
| SRP-PM-10 | BULKHEAD 10MM | 10 |
| SRP-PM-12 | BULKHEAD 12MM | 12 |

Quick T-Shape Connector SRP-ET



| Part no. | Type | For tubing O.D. (mm) |
|-----------|----------|----------------------|
| SRP-ET-4 | TEE 4MM | 4 |
| SRP-ET-6 | TEE 6MM | 6 |
| SRP-ET-8 | TEE 8MM | 8 |
| SRP-ET-10 | TEE 10MM | 10 |
| SRP-ET-12 | TEE 12MM | 12 |

Easy and precise tubing assembly



IMPORTADO E DISTRIBUÍDO POR KLEIN
(47) 33239470
www.kleinautomacao.com.br

www.groupstarke.com

Accessories

Elbow fitting SCO



| Part no. | Type | Thread |
|----------|--------------------|--------|
| SCO-M5 | ELBOW FITTING M5 | M5 |
| SCO-G18 | ELBOW FITTING G1/8 | G1/8 |
| SCO-G14 | ELBOW FITTING G1/4 | G1/4 |
| SCO-G38 | ELBOW FITTING G3/8 | G3/8 |
| SCO-G12 | ELBOW FITTING G1/2 | G1/2 |

Reducing Bushing Nipple SBR



| Part no. | Type | Female Thread | Male Thread |
|-------------|------------------------------|---------------|-------------|
| SBR-M5-R18 | REDUCING NIPPLE M5 - R1/8 | M5 | R1/8 |
| SBR-G18-R14 | REDUCING NIPPLE G1/8 - R1/4 | G1/8 | R1/4 |
| SBR-G14-R38 | REDUCING NIPPLE G1/4 - R3/8* | G1/4 | R3/8 |
| SBR-G14-R12 | REDUCING NIPPLE G1/4 - R1/2 | G1/4 | R1/2 |
| SBR-G38-R12 | REDUCING NIPPLE G3/8 - R1/2* | G3/8 | R1/2 |

Exhaust Air One-way Flow Control Function (M to F) SRF



| Part no. | Type | Thread |
|----------|-------------------------|--------|
| SRF-M5 | FLOW CONTROL VALVE M5 | M5 |
| SRF-G18 | FLOW CONTROL VALVE G1/8 | G1/8 |
| SRF-G14 | FLOW CONTROL VALVE G1/4 | G1/4 |
| SRF-G38 | FLOW CONTROL VALVE G3/8 | G3/8 |
| SRF-G12 | FLOW CONTROL VALVE G1/2 | G1/2 |

Blanking Plug SBU



| Part no. | Type | Thread |
|----------|---------------------------------|--------|
| SBU-M5 | BLANKING PLUG INTERNAL HEX M5 | M5 |
| SBU-G18 | BLANKING PLUG INTERNAL HEX G1/8 | G1/8 |
| SBU-G14 | BLANKING PLUG INTERNAL HEX G1/4 | G1/4 |
| SBU-G38 | BLANKING PLUG INTERNAL HEX G3/8 | G3/8 |
| SBU-G12 | BLANKING PLUG INTERNAL HEX G1/2 | G1/2 |


Pipe Coupling Sleeve SLU



| Part no. | Type | Thread |
|----------|---------------------------|--------|
| SLU-M5 | PIPE COUPLING SLEEVE M5 | M5 |
| SLU-G18 | PIPE COUPLING SLEEVE G1/8 | G1/8 |
| SLU-G14 | PIPE COUPLING SLEEVE G1/4 | G1/4 |
| SLU-G38 | PIPE COUPLING SLEEVE G3/8 | G3/8 |
| SLU-G12 | PIPE COUPLING SLEEVE G1/2 | G1/2 |

Highly Flexible Plastic Tubing Material: Polyurethane

For use in push-in fittings or SRP barbed connections, as they are externally calibrated over the entire length of the hose. It guarantees perfect fit in connection and hose. It can be purchased in rolls of up to 100 meters or smaller fractions.



| Part no. | Type | O.D. mm | I.D. mm |
|----------|-----------------|---------|---------|
| 016651 | PU 4,00 x 0,80 | 4 | 2,4 |
| 016657 | PU 6,00 x 1,00 | 6 | 4 |
| 016664 | PU 8,00 x 1,25 | 8 | 7 |
| 016671 | PU 10,00 x 1,50 | 10 | 7 |
| 016675 | PU 12,00 x 2,00 | 12 | 8 |
| 016677 | PU 14,00 x 2,00 | 14* | 10 |
| 016678 | PU 16,00 x 2,00 | 16* | 12 |

Colors: Blue (Standard), Yellow, Natural, Silver, Black, Green and Red
*O.D. 14 and 16 maximum pressure 8 bar at a temperature of 23.C

Spiral Plastic Tubing

Highly flexible plastic tubing. These are tubes suitable for movement. It can be used in push-in fittings or SRP barbed connections, as they are externally calibrated along the entire length of the hose. Guarantees perfect fit in connection and hose. And it can be purchased in different sizes.



O.D x THCK: Outside diameter x Thickness;
D: Spiral diameter;
X1: Linear length of the spiral.

| Part no. | Type | O.D x THCK | D | X1 (m) |
|----------|-------------------|------------|------|--------|
| 016634 | Spiral 4I-6E-3,5 | 6 x 1 | Ø 45 | 3.5 |
| 016635 | Spiral 4I-6E-5 | 6 x 1 | Ø 45 | 5 |
| 016636 | Spiral 4I-6E-7 | 6 x 1 | Ø 45 | 7 |
| 016637 | Spiral 4I-6E-10 | 6 x 1 | Ø 45 | 10 |
| 034694 | Spiral 6I-8E-3,5 | 8 x 1.25 | Ø 45 | 3.5 |
| 016639 | Spiral 6I-8E-5 | 8 x 1.25 | Ø 45 | 5 |
| 016640 | Spiral 6I-8E-7 | 8 x 1.25 | Ø 45 | 7 |
| 016641 | Spiral 6I-8E-10 | 8 x 1.25 | Ø 45 | 10 |
| 020070 | Spiral 6I-8E-15 | 8 x 1.25 | Ø 45 | 15 |
| 016644 | Spiral 7I-10E-3,5 | 10 x 1.5 | Ø 80 | 3.5 |
| 016645 | Spiral 7I-10E-5 | 10 x 1.5 | Ø 80 | 5 |
| 016647 | Spiral 7I-10E-10 | 10 x 1.5 | Ø 80 | 10 |
| 016646 | Spiral 7I-10E-15 | 10 x 1.5 | Ø 80 | 15 |
| 034625 | Spiral 7I-10E-20 | 10 x 1.5 | Ø 80 | 20 |

Colors: Blue (Standard), Yellow, Natural, Silver, Black, Green and Red